

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A method of determining a predictive model for discourse functions comprising the steps of:

determining a training corpus of speech utterances;

determining ~~[[a]]~~ at least one discourse function associated with ~~at least one~~ the speech ~~utterance~~ utterances;

determining prosodic features associated with the speech utterances;

~~determining at least one prosodic feature associated with the at least one discourse function;~~ and

determining ~~at least one~~ a predictive model of discourse functions ~~based on~~ by associating the prosodic features and with the discourse functions function,

wherein the predictive model of discourse functions is operable to predict a likelihood that a specific recognized speech reflects a specific discourse function.

2. (Original) The method of claim 1, in which the discourse functions are determined based on a theory of discourse analysis.

3. (Original) The method of claim 2, in which the theory of discourse analysis is at least one of: the Linguistic Discourse Model, the Unified Linguistic Discourse Model, Rhetorical Structure Theory, Discourse Structure Theory and Structured Discourse Representation Theory.

4. (Original) The method of claim 1, in which the predictive models are determined based on at least one of: machine learning, rules.

5. (Original) The method of claim 4, in which the machine learning based predictive models are determined based on at least one of: statistics, decision trees, Naïve Bayes.

6. (Original) The method of claim 1, in which the prosodic features occur in at least one of a location: preceding, within and following the associated discourse function.

7. (Original) The method of claim 1, in which the prosodic features are encoded within a prosodic feature vector.

8. (Original) The method of claim 7, in which the prosodic feature vector is a multimodal feature vector.

9. (Original) The method of claim 1, in which the discourse function is an intra-sentential discourse function.

10. (Original) The method of claim 1, in which the discourse function is an inter-sentential discourse function.

11. (Currently Amended) A system for determining predictive discourse function models comprising:

an input/output circuit for retrieving a training corpus of ~~at least one speech utterance~~ utterances;

a processor for:

determining prosodic features associated with the ~~at least one speech utterance~~ utterances, and ~~which determines~~

determining at least one discourse function associated with the ~~corpus of at least one speech utterance~~ utterances, and

~~determines at least one prosodic feature associated with the at least one discourse function and determines~~

determining a predictive model for discourse functions ~~based on~~ by associating the prosodic features and with the discourse function,

wherein the predictive model of discourse functions is operable to predict a likelihood that a specific recognized speech reflects a specific discourse function.

12. (Original) The system of claim 11, in which the discourse functions are determined based on a theory of discourse analysis.

13. (Original) The system of claim 12, in which the theory of discourse analysis is at least one of: the Linguistic Discourse Model, the Unified Linguistic Discourse Model, Rhetorical Structure Theory, Discourse Structure Theory and Structured Discourse Representation Theory.

14. (Original) The system of claim 11, in which the predictive models are determined based on at least one of: machine learning, rules.

15. (Original) The system of claim 14, in which the machine learning based predictive models are determined based on at least one of: statistics, decision trees, Naïve Bayes.

16. (Original) The system of claim 11, in which the prosodic features occur in at least one of a location: preceding, within and following the associated discourse function.

17. (Original) The system of claim 11, in which the prosodic features are encoded within a prosodic feature vector.

18. (Original) The system of claim 17, in which the prosodic feature vector is a multimodal feature vector.

19. (Original) The system of claim 11, in which the discourse function is an intra-sentential discourse function.

20. (Original) The system of claim 11, in which the discourse function is an inter-sentential discourse function.

21. (*Currently Amended*) An apparatus operable to generate a carrier wave encoded to transmit a control program, useable to program a computer to determine a predictive model for discourse functions, to a device for executing the program, the control program comprising instructions for:

determining prosodic features associated with the speech utterances,

determining at least one discourse function associated with the speech utterances,

and

determining a predictive model for discourse functions by associating the prosodic features with the discourse function,

wherein the predictive model of discourse functions is operable to predict a likelihood that a specific recognized speech reflects a specific discourse function.

~~instructions for determining a corpus of speech utterances;~~

~~instructions for determining a least one discourse function associated with at least one speech utterance;~~

~~instructions for determining at least one prosodic feature associated with the at least one discourse function;~~

~~instructions for determining at least one predictive model of discourse functions based on the prosodic features and the discourse functions, wherein the predictive model of discourse functions is operable to predict a likelihood that a specific recognized speech reflects a specific discourse function.~~

22. (Currently Amended) Computer readable storage medium comprising: computer readable program code embodied on the computer readable storage medium, the computer readable program code usable to program a computer to determine a predictive model for discourse functions comprising the steps of:

determining a corpus of speech utterances;

determining ~~[[a]]~~ at least one discourse function associated with ~~at least one speech utterance~~ the speech utterances;

determining ~~at least one~~ prosodic feature features associated with the at least one discourse function; and

determining at least one predictive model of discourse functions ~~based on~~ by associating the prosodic features ~~and with~~ the discourse functions,

wherein the predictive model of discourse functions is operable to predict a likelihood that a specific recognized speech reflects a specific discourse function.